12:23

## Merchant & Gould

An Intellectual Property Law Firm

RECEIVED
CENTRAL FAX CENTER

MAR 2 1 2005

3200 IDS Center 80 South Eighth Street Minneapolis, Minnesota 55402-2215 USA TEL 612.332.5300 FAX 612.332.9081 www.merchant-

A Professional Corporation

gould.com

Fax Transmission

March 21, 2005

TO:

Commissioner for Patents

Attn: Examiner Gary B. Nickol

P.O. Box 1450

Alexandria, VA 22313-1450

FROM:

Katherine M. Kowalchyk

OUR REF:

11669.192USC1

TELEPHONE:

612.371.5311

arch 21, 2005

Total pages, including cover letter: 6

PTO FAX NUMBER 1-703.872.9306

If you do NOT receive all of the pages, please telephone us at 612.371.5204, or fax us at 612.332.9081.

Title of Document Transmitted:

INFORMATION DISCLOSURE

STATEMENT AND FORM 1449

Applicant:

GERRITSEN ET AL.

Serial No.:

10/811,080

Filed:

MARCH 26, 2004

Group Art Unit: 1642

Our Ref. No.:

11669.192USC1

a Bouton

Confirmation No. 8064

Please charge any additional fees or credit overpayment to Deposit Account No. 13-2725. Please consider this a PETITION FOR EXTENSION OF TIME for a sufficient number of months to enter these papers, if appropriate.

Name: Katherine M. Kowalchyk

Reg. No.: 36,848

I hereby certify that this paper is being transmitted by facsimile to the U.S. Palent and Trademark Office on the date shown below.

Sheryl A. Boerboom

Signature

Date

GEN033.DOT

S/N 10/811,080

PATENT

## IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

RECEIVED G. NICKOL CENTRAL FAX CENTER

Applicant:

GERRITSEN ET AL.

Examiner:

1614

MAR 2 1 2005

Serial No.:

10/811,080

Group Art Unit:

Filed:

MARCH 26, 2004

Docket No .:

11669.192USC1

Confirmation No.:

8064

Customer No.:

23552

Title:

NOVEL POLYPEPTIDES, THEIR NUCLEIC ACIDS, AND

METHODS FOR THEIR USE IN ANGIOGENESIS AND

VASCULARIZATION

CERTIFICATE UNDER 37 CFR 1.8(b):

I hereby certify that this paper is being transmitted by facsimile to the U.S. Patent and Trademark Office on March 21,

2005.

## INFORMATION DISCLOSURE STATEMENT (37 C.F.R. § 1.97(b))

Commissioner for Patents P.O. Box 1450 Alexandria, Virginia 22313-1450

Dear Sir:

With regard to the above-identified application, the items of information listed on the enclosed Form 1449 are brought to the attention of the Examiner.

This statement should be considered because it is submitted before the mailing date of a first Office Action on-the-merits. Accordingly, no fee is due for consideration of the items listed on the enclosed Form 1449.

In accordance with 37 C.F.R. §1.98(d), a copy of each document or other information listed on the enclosed Form 1449 is not provided because it was previously cited by or submitted to the U.S. Patent and Trademark Office in parent application, U.S. Serial No. 09/684,458 filed on October 5, 2000.

No representation is made that a reference is "prior art" within the meaning of 35 U.S.C. §§ 102 and 103 and Applicants reserve the right, pursuant to 37 C.F.R. § 1.131 or otherwise, to establish that the reference(s) are not "prior art." Moreover, Applicants do not represent that a

reference has been thoroughly reviewed or that any relevance of any portion of a reference is intended.

Consideration of the items listed is respectfully requested. Pursuant to the provisions of M.P.E.P. 609, it is requested that the Examiner return a copy of the attached Form 1449, marked as being considered and initialed by the Examiner, to the undersigned with the next official communication.

Please charge any additional fees or credit any overpayment to Deposit Account No. 13-2725.

23552
PATENT TRADUMARK OPPICE

Respectfully submitted,

MERCHANT & GOULD P.C. P.O. Box 2903

Minneapolis, Minnesota 55402-0903

(612) 332-5300

Date: Much 21, 2005

When Wern alilyh Katherine M. Kowalchyk

Reg. No. 36,848

23552

## RECEIVED CENTRAL FAX CENTER 6123329081

03-21-05

12:24

Date Mailed: March 21, 2005

FROM-Merchant & Gould

P.004/006 F-236

MAR 2 1 2005

Sheet I of 3

| FORM 1449* INFORMATION DISCLOSURE STATE | Docket Number:<br>11669.192USC1 | Application Number: 10/811,080 |  |  |
|---|---------------------------------|--------------------------------|--|--|
| IN AN APPLICATION                       | Applicant: GERRITSEN F          | Applicant: GERRITSEN ET AL.    |  |  |
| (Use several sheets if necessary)       | Filing Date: 03/26/2004         | Group Art Unit: 1614           |  |  |

|                     |          |                         | U  | .s. patent documen   | TS                                 |                                       |                                   |                            |
|---------------------|----------|-------------------------|--|--|------------------------------------|---------------------------------------|-----------------------------------|----------------------------|
| EXAMINER<br>INITIAL | DOCU     | MENT NO.                | DATE   | NAME   | CLASS                              | SUBCLASS                              | FILING<br>IF APPRO                | DATE<br>OPRIATE            |
|                     | 5,650,28 | 32                      | 07/22/1997   | Keating et al.   |                                    |                                       |                                   |                            |
|                     | 5,871,69 | 7                       | 02/16/1999   | Rothberg et al.  |                                    |                                       |                                   |                            |
|                     |          |                         | FOR  | EIGN PATENT DOCUM  | ACONTS                             |                                       |                                   |                            |
|                     | Вост     | D AFNIT NO              | DATE   | COUNTRY  | CLASS                              | SUBCI ASS                             | TRANSI                            | LATION                     |
|                     | Docc     | MENT NO.                | DATE   | COUNTRY  | CLASS                              | SOBOL AND                             | YES                               | NO                         |
|                     | WO 99/0  | 06423                   | 02/11/1999   | PCT  |                                    |                                       |                                   |                            |
|                     | WO 00/   | 73469                   | 07/12/2000   | PCT  |                                    |                                       |                                   |                            |
|                     |          |                         |  |  |                                    |                                       |                                   |                            |
|                     |          | OTHER                   | DOCUMENT   | S (Including Author, Title,                                    | Date, Pertinent l                  | Pages, Etc.)                          |                                   |                            |
|                     |          | Alberts et              | al., <i>Molecular I</i>  | Biology of the Cell, 3rd Edi                                   | tion, p. 465 (199                  | 4)                                    |                                   |                            |
|                     |          | Alberts et              | Alberts et al., Molecular Biology of the Cell, 4th Edition anonymous, New York: Garland Science, p. 435 (20) |  |                                    |                                       | 435 (2002)                        |                            |
|                     |          |                         | al., "Predicting (<br>263 (1995)   | coiled coils by use of pairv                                   | rise residue corre                 | elations", Proc. Nat                  | l., Acad. Sci.                    | USA,<br>                   |
|                     |          | Bowie et a<br>1306-1310 |  | g the message in protein so                                    | quences: toleran                   | ce to amino acid su                   | bstitutions", S                   | Science,                   |
|                     |          | Burkhard                | ct al., "Coiled c  | oils: a highly versatile prot                                  | ein folding motif                  | T, Trends Cell Biol                   | l., 11:82-88 (2                   | 001)                       |
|                     |          | DATABA                  | SE EMBL SEQ  | UENCES (Online), Acces   | sion No. A16847                    | 747, May 23, 1999                     | (2 pages)                         |                            |
|                     |          | DATABA                  | DATABASE EMBL SEQUENCES (Online), Accession No. Q9NXBB, October 1, 2000 (1 page)                             |  |                                    |                                       |                                   |                            |
|                     |          | formation               | al., "An alpha<br>and coalescence<br>Res, 224:39-51 (  | 2 beta 1 integrin-deper<br>e regulates capillary lumi<br>1996) | dent pinocytic<br>en and tube form | mechanism involvemention in three-dim | ring intracelle<br>nensional coll | ular vacuol<br>agen matrix |
|                     |          |                         | t al., "Human II<br>163:2151-2159  | L-3 stimulates endothelial<br>(1999)                           | cell motility and                  | promotes in vivo                      | new vessel fo                     | rmation", .                |
|                     |          |                         |  | a Novel Gene Product Do<br>9-31124 (1998)                      | wn-regulated in                    | Human Endothelia                      | al Cell Differe                   | entiation", .              |
|                     |          | Ellson et a             | ıl., "The PX dor   | nain: a new phosphoinosit                                      | de-binding mod                     | ule", <i>J. Ceil Sci.</i> , 11        | 15:1099-1105                      | (2002)                     |
|                     |          |                         | et al., "Induction<br>0:58-61 (1989)   | of angiogenesis during th                                      | e transition from                  | hyperplasia to neo                    | plasia", <i>Natui</i>             | re,                        |

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

Patent and Trademark Office; U.S. DEPARTMENT OF COMMERCE

<sup>\*</sup>Substitute Disclosure Statement Form (PTO-1449)

Date Mailed: March 21, 2005

12:24

Sheet 2 of 3

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number:<br> 1669.192USC1 | Application Number:<br>10/811,080 |  |  |
|---|---------------------------------|-----------------------------------|--|--|
| IN AN APPLICATION                           | Applicant: GERRITSEN ET         | Applicant: GERRITSEN ET AL.       |  |  |
| (Use several sheets if necessary)           | Filing Date: 03/26/2004         | Group Art Unit: 1614              |  |  |

| Fu et al., EMBO Journal, 15:4392-4401 (1996)   |
|--|
| Gattiker et al., "ScanProsite: A reference implementation of a PROSITE scanning tool", Applied Bioinformatics, 1:107-108 (2002)  |
| GenBank NP_060241, PX serine/threonine kinase (Homo supiens)   |
| Horton et al., "Better prediction of protein cellular localization sites with the k nearest neighbors classifier", Proc. Int. Conf. Intell. Syst. Mol. Biol., 5:147-152 (1997)   |
| Hua et al., "Support vector machine approach for protein subcellular localization prediction", Bioinformatics, 17:721-728 (2001)   |
| Han et al., "Distinct signal transduction pathways are utilized during the tube formation and survival phases of in vitro angiogenesis", J. Cell Sci., 111(Pt 24):3621-3631 (1998)   |
| Juarez et al., "Histidine-proline-rich glycoprotein has potent antiangiogenic activity mediated through the histidine-proline-rich domain", Cancer Res., 62:5344-5350 (2002)   |
| Lupas, "Coiled coils: new structures and new functions", Trends Biochem. Sci., 21:375-382 (1996)   |
| Lupas, "Prediction and analysis of coiled-coil structures", Methods Enzymol., 26:5:313-525 (1996)  |
| Lupas et al., "Predicting coiled coils from protein sequences", Science, 252:1162-1164 (1991)  |
| Meggio et al., "One-thousand-and-one substrates of protein kinase CK2?", FASEB J., 17:349-368 (2003)   |
| Mendell et al., "When the message goes awry: disease-producing mutations that influence mRNA content and performance", Cell. 107:411-414 (2001)  |
| Nielsen et al., "Identification of prokaryotic and cukaryotic signal peptides and prediction of their cleavage sites"<br>Protein Eng., 10:1-6 (1997)   |
| Nielsen et al., "A neural network method for identification of prokaryotic and cukaryotic signal peptides and prediction of their cleavage sites", Int. J. Neural Syst., 8:581-599 (1997)                                    |
| Parry, "Coiled-coils in alpha-helix-containing proteins: analysis of the residue types within the heptad repeat and use of these data in the prediction of coiled-coils in other proteins", Blosci. Rep., 2:1017-1024 (1982) |
| <br>Sassone-Corsi, "Transcription factors responsive to cAMP", Annu. Rev. Cell D. v. Biol., 11:355-377 (1995)  |
| Sato et al., "Location, location, location: membrane targeting directed by PX domains", Science, 294:1881-1885 (2001)  |
| Shimkets et al., "Gene expression analysis by transcript profiling coupled to a gene database query", Nature Biotechnology. 17(8):798-803 (1999)   |
| Soeda et al., "An attempt to promote neo-vascularization by employing a newly synthesized inhibitor or protein tyrosine phosphatase", FEBS Letters, 524:54-58 (2002)   |
| St. C. Buchanan et al., "Structural and functional diversity in the leucine-rich repeat family of proteins", <i>Prog. Biophys. Molec. Biol.</i> , 65:1-44 (1996)   |
| Weidner et al., "Tumor angiogenesis and metastasiscorrelation in invasive breast carcinoma", New England J. of Medicine, 324(1):1-8 (1991)   |

| EXAMINER | DATE CONSIDERED |
|----------|-----------------|

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

<sup>\*</sup>Substitute Disclosure Statement Form (PTO-1449)

03-21-05

12:24

FROM-Merchant & Gould

6123329081

T-811 P.006/006 F-236

Date Mailed: March 21, 2005

Sheet 3 of 3

| FORM 1449* INFORMATION DISCLOSURE STATEMENT | Docket Number:<br>11669.192USCI | Application Number:<br>10/811,080 |  |
|---|---------------------------------|-----------------------------------|--|
| IN AN APPLICATION                           | Applicant: GERRITSEN ET AL.     |                                   |  |
| (Use several sheets if necessary)           | Filing Date: 03/26/2004         | Group Art Unit: 1614              |  |

| Xin et al., "Peroxisome proliferators-activated receptor gamma ligands are potent inhibitors of angiogenesis in vitro and in vivo", J. Biol. Chem., 274:9116-9121 (1999) |
|--|
| Xu et al., "The Phox homology (PX) domain, a new player in phosphoinositide signaling", Biochem. J., 360:513-530 (2001)  |

23552

DATE CONSIDERED EXAMINER

EXAMINER: Initial if reference considered, whether or not citation is in conformance with MPEP 609; draw line through citation if not in conformance and not considered. Include copy of this form for next communication to the Applicant.

<sup>\*</sup>Substitute Disclosure Statement Form (PTO-1449)